



INTEGRATED PEST MANAGEMENT: A CURRICULUM FOR EARLY CARE AND EDUCATION PROGRAMS



This *Integrated Pest Management Curriculum* was developed by the University of California (UC), San Francisco School of Nursing's California Childcare Health Program, UC Berkeley's Center for Children's Environmental Health Research, UC Statewide IPM Program and the California Department of Pesticide Regulation; and adapted for New Hampshire by the New Hampshire Department of Agriculture, Markets & Food through funding by a Pesticide Environmental Stewardship Program Grant, Assistance Award PE 96119501-1, made possible through the United States Environmental Protection Agency, Region 1.



ACKNOWLEDGEMENTS

This original project was funded in full or in part through a grant awarded by the California Department of Pesticide Regulation and adapted for use in New Hampshire with permission from the California Childcare Health Program. This adaptation was prepared by the New Hampshire Department of Agriculture, Markets & Food (DAMF), Division of Pesticide Control, and the New Hampshire Department of Health and Human Services (DHHS), Child and Maternal Health Section, and made possible through a Pesticide Environmental Stewardship Program Grant, Assistance Award PE 96119501-1, provided by the United States Environmental Protection Agency. The contents of this document do not necessarily reflect the views and policies of DAMF or DHHS nor does mention of trade names or commercial products constitute endorsement or recommendation for use.

TABLE OF CONTENTS

TITLE	PAGE	TITLE	PAGE
Introduction	1	Implementing IPM in your ECE Program	24
What is integrated pest management (IPM)	3	How to hire a pest management professional	27
Health and Safety in the Child Care Environment	5	Glossary	28
Pests: What you need to know	6	Resources	30
What are pests	6	Appendices	31
Hazards of pests for young children	6	List of Toolkit's Complementary Materials:	31
Pesticides: What you need to know	7	Health and Safety Notes on specific pests	31
What are pesticides	7	Facts Sheets for Families	31
Types of pesticides	7	IPM Checklist for Early Care and Education Programs	31
Where are pesticides used	7	Forms	32
What are the health hazards of pesticides	7	Sample IPM policy for ECE programs	32
Acute and long-term health effects	8	Sample letter: Notification of planned pesticide use	33
Why children are at higher risk	8	Sample warning sign to be displayed on property	34
Other hazards of using pesticides	9	Sample Pest Monitoring Log	35
Choosing safer pesticide products	9		
Understanding IPM Practices	11		
Prevention	11		
Inspection	19		
Identification	19		
Monitoring	20		
Management	21		
Safe storage and disposal of pesticides	22		
How to read a pesticide label	23		

INTRODUCTION

This *Integrated Pest Management Toolkit for Early Care and Education Programs* presents practical information about using integrated pest management (IPM) to prevent and manage pest problems in early care and education programs.

The Toolkit includes:

- ▶ **A curriculum booklet**, *Integrated Pest Management: A Curriculum for Early Care and Education Programs*, which includes general information about IPM, Health and Safety requirements, what you need to know about pests and pesticides, how to implement IPM, and appendices with sample policies, forms and letters.
- ▶ **Complementary materials**
 - ▷ Health and Safety Notes on individual pests
 - ▷ Fact Sheets for Families
 - ▷ IPM Checklist

The *Toolkit* and additional materials, including a slide presentation, are available on the website: www.ucsfchildcarehealth.org/html/pandr/trainingcurrmain.htm.

To order the *IPM Toolkit*, contact: New Hampshire Department of Agriculture, Markets & Food, Division of Pesticide Control at (603) 271-3550.

Target Audience

The *IPM Toolkit* is intended for use by early care and education staff, directors, family child care providers, building maintenance personnel, early care and education health and safety educators, child care health consultants, child care health advocates, child care licensing analysts, pest management professionals, parents and others interested in the health and safety of children in child care.

Learning Objectives

After using the IPM Toolkit, you will be able to:

- 1 identify the requirements for child care centers as specified in New Hampshire's Health and Safety in the Child Care Environment Rules.
- 2 define what is a pest, what is a pesticide and what is integrated pest management.
- 3 explain why children are vulnerable to the health risks of pesticides.
- 4 describe the health effects for children and staff exposed to pesticides and common pests.
- 5 develop and implement IPM policies and practices in your program.
- 6 identify simple and inexpensive IPM methods to prevent or manage common pests.
- 7 inspect your child care facility for the presence of pests or conditions that attract pests using the IPM Checklist.
- 8 share IPM information and resources with staff and parents.



Background

In a 2011 survey of New Hampshire licensed child care centers, most reported at least one problem with indoor and/or outdoor pests and many reported using pesticides to control pests. Pesticides, while sometimes helpful, also pose risks. This curriculum will help you learn how to keep pests out of early care and education (ECE) facilities and reduce the use of pesticides by adopting integrated pest management (IPM). The curriculum will explain what IPM is and how to start an IPM program in your ECE facility. When there are pests in an ECE facility, many people try to get rid of them as quickly as possible by using pesticides; for instance, spraying pesticides in the building and outdoor areas to get rid of ants. However, pesticides may cause harm to children, staff and the environment. The harm caused by pesticides may be worse than the harm caused by the pests. (More than one billion pounds of pesticides are used every year in the U.S.¹ and pesticide residue can be found where people work, live, and go to school.)

Some of the health effects caused by pesticides may include:

- ▶ Immediate illness, such as poisoning, asthma and flu-like symptoms.
- ▶ Long-term developmental and health problems in children, and health problems in ECE staff.

Curriculum Overview

This curriculum will help you create a healthy and safe ECE environment and provide information on:

- ▶ Why children are at higher risk for pesticide exposure and poisoning
- ▶ How to use IPM to
 - ▷ keep pests out.
 - ▷ manage pest problems.
 - ▷ use least-harmful practices.
 - ▷ eliminate use of the most toxic pesticides.



¹ U.S. EPA, 2000-2001 Pesticide Market Estimates: Usage, www.epa.gov/oppbead1/pestsales/01pestsales/usage2001.htm

WHAT IS INTEGRATED PEST MANAGEMENT (IPM)?

IPM is a common-sense approach to managing pests while reducing the use of harmful pesticides. IPM programs focus on preventing pest problems by getting rid of the food, water and shelter that pests need to survive. When pest management is needed, IPM uses a combination of common-sense, least harmful practices. IPM works because combined (integrated) approaches for pest management are more effective in the end than a single approach, like spraying pesticides. IPM in a facility is always a team effort between the program staff, janitorial staff, parents, and the building manager, landlord and pest management professional. Everyone has a role to play and must communicate and cooperate.

Why use IPM?

IPM targets the conditions in your facility that allow pests to become a problem rather than simply treating the symptoms (pests).

Therefore, IPM:

- ▶ is more effective at eliminating pests.
- ▶ prevents pest infestations in the future.
- ▶ is less likely to cause harm to children, staff and the environment.
- ▶ can save time, money and energy.
- ▶ will lead to fewer pest problems.
- ▶ is encouraged (by the New Hampshire Department's of Agriculture, Markets & Food and Health and Human Services.)
- ▶ reduces short and long-term health problems associated with pesticide use.

Steps to Successful IPM:

1 PREVENTION

- ▶ Keep pests out of areas where you don't want them.
- ▶ Remove pests' access to food, water and shelter.

2 INSPECTION

- ▶ Carefully inspect your indoor and outdoor areas for evidence of pests, damage by pests or the pests themselves.

3 IDENTIFICATION OF PESTS

- ▶ Identify which pests are present in and around your facility. Positive identification will help you to determine the best plan of action. For example, do you have Norway rats or roof rats? They must be dealt with differently.
- ▶ Learn the signs of their presence such as droppings or damage, even when pests are out of sight.
- ▶ Identify pests' characteristics and habits: what are their food, water and shelter needs and what is their life cycle?

4 MONITORING

Look for signs of pests in the buildings and grounds to:

- ▶ identify pest problems early.
- ▶ determine if and when treatment is needed.
- ▶ determine whether current strategies are working.

5 MANAGEMENT

If pests become a problem, you will need to do something to manage or suppress them.

- ▶ Use materials and practices that maximize effectiveness, safety and reduce pesticide exposure to children and staff.
- ▶ Often you can manage pests with nonchemical steps.
- ▶ If you use pesticides, choose least harmful pesticides such as bait stations or gels. Combine them with preventive practices so pests won't come back.



EXAMPLE OF HOW TO USE IPM

What to do if you see cockroaches

Before you develop a plan to get rid of the cockroaches, ask yourself: are there nearby tenants who should be involved? Consider your building's



location, neighbors and ownership. Are you in a separate building or shared space? Are you renting or leasing? If you focus on only your part of the building, the cockroaches may move away



for a short time and return later. If you have cockroaches, your neighbors probably do too. If you're renting or leasing space, the landlord or building owner

should work with all tenants in your building.

What to do in an emergency

If you discover cockroaches behind a large appliance, such as a refrigerator, do not spray! Work with another staff person and get a canister vacuum cleaner and hair dryer. One person will use the hair dryer to flush out the cockroaches and the other person will vacuum them up with the canister vacuum cleaner. Vacuum their hiding place twice, five minutes apart. During the first pass the cockroaches will scatter. They'll resetttle by the time you vacuum again.

Then use the steps described on the right. If you want to hire an expert, hire a Pest Management Professional (PMP) who is knowledgeable about IPM (see page 27, How to Hire a PMP).

DO

- 1 Find out where the cockroaches are coming from; for example, by setting and monitoring sticky traps next to the walls behind cabinets and in corners near food and water sources.
- 2 Seal cracks and crevices, gaps around pipes, and other areas to reduce hiding and breeding places and to keep them out of the building. Also, inspect packages and boxes for other sources of cockroaches.
- 3 Routinely clean up food residues so cockroaches don't have food. Keep food in sealed containers. Fix leaky faucets so cockroaches don't have water.
- 4 Keep garbage in lined, covered containers.
- 5 Eliminate clutter. Take supplies out of boxes and store in cupboards or open metal shelving.
- 6 Put out sticky traps to find out early if roaches return.
- 7 Use bait stations or gels for managing existing roach problems.

DON'T

- 8 Don't react immediately by spraying, putting out poison, or using foggers. These methods can be dangerous. If you can't handle the problem yourself, hire a PMP who practices IPM.

For more information on specific pests, see the *Health and Safety Notes*. A list of these *Notes* is available in the *Appendix*.

HEALTH AND SAFETY IN THE CHILD CARE ENVIRONMENT RULE

In New Hampshire, the Health and Safety in the Child Care Environment Rule, He-C 4002.14 applies to child care facilities.

Child Care Licensing rules require ECE environments to:

- 1 be free from fumes from toxic or harmful chemicals or materials.
- 2 be free from items labeled “Keep out of Reach of Children”.
- 3 notify parents and staff when using pesticides.
- 4 keep written records of pesticide use by recording the date, time and type(s) of pesticide used for each time a pesticide is used.

What does the rule require?

- ▶ **Notification.** When using pesticides, the ECE center shall:
 - ▷ Notify parents and staff in writing at least 2 days prior to the pesticide application, except in emergencies where pests pose an immediate threat to children
- ▶ **Record Keeping.** When using pesticides, programs shall document for each pesticide used:
 - Date • Time • Type
- ▶ **Warning Signs.** ECE centers should consider posting warning signs around each area where pesticides will be applied. These signs should be large enough to prevent any adult from accidentally entering areas where pesticides have been used. See *Sample Warning Sign* in the on page 34.



Carefully consider the pesticide proposed for use.

PESTS – WHAT YOU NEED TO KNOW



What are pests?


A pest is any living organism that causes damage or discomfort, or transmits or produces disease. Pests can be animals, plants or bacteria. A pest can also be something that is simply where it is not wanted, such as clover in a

grass play area. Rats, mice, cockroaches, house flies, raccoons, squirrels, ants, weeds and bacteria are all examples of different types of pests. Make sure something is really a pest before you remove it.

Hazards of pests for young children

Some pests are merely annoying, but others can cause serious harm to children. For example:

- ▶ Rodents, such as rats and mice, can contaminate food, food preparation areas and other surfaces with their urine, feces and stray hairs. They carry diseases or fleas into areas where people are present. They can also trigger asthma.
- ▶ Cockroaches are a common trigger of asthma and can carry diseases.
- ▶ Stinging pests, such as yellowjackets, hornets and some ants and bees, can cause severe reactions that can be life threatening for some people.
- ▶ Flies can spread disease when they walk on food.



Most Common Pests in Child Care Centers

PESTICIDES – WHAT YOU NEED TO KNOW



What are pesticides?

A pesticide is a poison that is designed to kill or control living things such as weeds, bugs, spiders or anything that you do not want to live in your child care facility or yard. Roach and ant spray, flea bombs, rat poison, weed killer or mothballs are all examples of pesticides. All pesticides are potentially harmful. Pesticides should be used as a last resort. Pesticide sprays and foggers are especially harmful and should be avoided in child care programs.

What types of pesticides are there?

There are many types and trade names of pesticides that are marketed to kill specific pests. For example, an herbicide, which kills weeds, is a pesticide. Here is a list of pesticides and the type of pests they are designed to kill.

PESTICIDE	PEST
1. Insecticides	Insects and related pests such as spiders
2. Herbicides	Weeds or other unwanted plants
3. Rodenticides	Mice, rats and other rodents
4. Fungicides	Mold, mildew and other fungi (mushrooms)
5. Bactericides	Bacteria
6. Algicides	Algae (used in swimming pools and other water storage)
7. Insect Repellents	Mosquitoes or other insects or ticks
8. Molluscicides	Snails and slugs

Where are pesticides used?

Pesticides are often used outside, such as on lawns and in gardens. They are also commonly used in and around buildings such as homes and classrooms.

- ▶ Indoor levels of pesticides may be higher than outdoor levels because pesticides settle into carpets and on other inside surfaces, and build up in dust. Pesticides used indoors, or tracked inside on shoes, can remain for weeks, months or even years.

WHAT ARE THE HEALTH HAZARDS?

Even though pesticides are registered with the U.S. EPA, they can still be dangerous to children and adults. Typically, the harmful effects of a pesticide depend on:

- ▶ how poisonous the pesticide is. Some are more poisonous than others.
- ▶ how long a person is in contact with the pesticide (this is called exposure).
- ▶ how much of the pesticide gets inside the body of the person exposed.
- ▶ how a person comes into contact with the pesticide. Pesticides can be swallowed, breathed in through the lungs or absorbed through the skin.

Exposure to some pesticides can cause acute poisoning or acute health effects. In 2008, United States (US) Poison Control Centers reported 43,526 cases of possible pesticide poisoning in children younger than six.³ The signs of acute, sudden pesticide-related sickness that happen soon after exposure can be mistaken for the flu or other illnesses. See the table *Acute and Chronic Health Effects* on page 8 for more information.

³ Bronstein, A. C., Spyker, D. A., Cantilena, L. R., Green, J. L., Rumack, B. H., & Giffin, S. L. (2009). 2008 Annual Report of the American Association of Poison Control Centers™ National Poison Data System (NPDS): 26th Annual Report. *Clinical Toxicology*, 47(10), 911-1084.

Exposure to pesticides over a long time may also cause sickness or affect development. New studies show that children regularly exposed to low levels of pesticides may not be poisoned or get sick right away, but they may suffer from health problems that don't show up for many years.⁴

Studies still need to be completed to know more about the health hazards of pesticides.

The best way to avoid these health hazards is to avoid using pesticides.

Some of the acute and chronic health effects of pesticides are:


ACUTE HEALTH EFFECTS (SUDDEN EXPOSURE)

- ▶ Cough or difficulty breathing
- ▶ Nausea or vomiting
- ▶ Stomach pain
- ▶ Diarrhea
- ▶ Headache
- ▶ Blurred vision or irritated eyes
- ▶ Dizziness
- ▶ Rash or other skin irritation
- ▶ Confusion

POSSIBLE LONG-TERM HEALTH EFFECTS

- ▶ Asthma
- ▶ Low birth weight and length
- ▶ Birth defects
- ▶ Genetic syndromes
- ▶ Learning disabilities
- ▶ Cancers
- ▶ Hormonal changes (disruption of the endocrine system)

⁴ Marks, A. R., Harley, K., Bradman, A., Kogut, K., Barr, D. B., Johnson, C., et al. (2010). Organophosphate pesticide exposure and attention in young Mexican-American children. *Environmental Health Perspectives*. Advance online publication. doi: 10.1289/ehp.1002056.



If a pesticide is present in air, food or water, a greater amount will be taken in by a child in proportion to their body size or weight than by an adult.

Children are more vulnerable to pesticides in their environment than adults because they:

- ▶ eat and drink more per pound of body weight than adults. If a pesticide is present in food or drink, a greater amount will be taken in by a child in proportion to their body size or weight than by an adult.
- ▶ breathe more air per pound of body weight than adults.
- ▶ put their hands in their mouths a lot and roll on and touch floors and other surfaces where pesticide residues or contaminated dust are commonly found.
- ▶ have more skin surface area relative to their body weight than adults. Thus, children absorb more pesticides through their skin than adults.
- ▶ are still developing. Some pesticides that children are exposed to can interfere with a child's developing brain.



Other hazards of using pesticides

Pesticides are poisonous to pests, but they are also poisonous to people, animals and the environment. Pesticides enter the environment through water and air. Pesticides can enter storm drains, seep through the ground or run off of sidewalks or soil into streams and lakes that provide drinking water to humans and animals.

Pesticides can also sometimes make pest problems worse.

- ▶ Over time, pests often become resistant to pesticides so the pesticides stop working, and stronger ones are needed to manage pest problems.
- ▶ While pesticides kill pests, they can also kill valuable insects, such as predators that keep pests in check.

Choosing safer pesticide products

IPM practices that don't use any pesticides at all are often effective and eliminate pest problems. If nonchemical approaches are not effective by themselves, you may need to use pesticides.

Here are the key points about choosing a safer pesticide product:

Consider using low risk pesticides.

Products that are low risk such as baits and gels have all been determined to be safer for use around children than other pesticide products. They are safer either because they have very low toxicity or are used in a form, such as a bait station, that makes them less hazardous because there's reduced risk of exposure to the pesticides. Exempt products should be used and stored out of children's reach.

For more information on choosing safer pesticides for individual pests, review the *Health & Safety Notes* included in this *Toolkit* on individual pests common in ECE programs. These *Health and Safety Notes* provide information about nonchemical and safer options appropriate for individual pests that can be tried.

Use pesticides registered for use by the EPA and NH DAMF.

Except for a few products that are made from food-grade substances, all pesticides must be **registered** by the U.S. EPA and the New Hampshire Division of Pesticide Control to be sold or used in New Hampshire. Be sure you only use registered products. Some unregistered products that are illegal in New Hampshire are very dangerous.

Examples of illegal pesticides that are highly toxic and dangerous to use:

- ▶ **Naphthalene moth repellents** are made from naphthalene and are white or colorful balls that look like candy or toys to children.
- ▶ **Illegal insecticide chalk (ant and cockroach chalk)**, also called Miraculous Chalk or Chinese Chalk, is usually imported from China and is not expensive. It looks like simple blackboard chalk.

- ▶ **Tres Pasitos** is a colorful pesticide that looks like candy. It is used to kill rats.



Illegal insecticide chalk.



Use caution when choosing organic, green or natural products

Choosing safer pesticide products can be hard because there is a lot of conflicting information available on the Internet and in the media. Some pesticides are advertised as *organic*, *green* or *natural* to make them seem safer than traditional pesticides, but some may also have significant hazards, especially if the directions on the label are not followed.

The terms *green* or *natural* should be viewed with suspicion. Of the terms *green*, *natural* and *organic*, only the term *organic* has an official definition.

Use pesticides registered for use by the EPA and NH DPC

Organic pesticides:

- ▶ must be derived from natural sources, such as plants, animals, microorganisms or minerals.
- ▶ cannot be synthesized using chemical reactions.
- ▶ can have adverse effects on people, animals and the environment even though many of these products may be less toxic than conventional chemical pesticides. An example is the insecticide pyrethrin, which is made from chrysanthemum daisies. It is organic because it only comes from plants, yet pyrethrins are very toxic to fish, and can cause allergic reactions in people.
- ▶ can cause problems if used in areas with poor ventilation. Some organic sprays are made with essential oils and may smell good at first, but they can cause children and staff to cough or suffer eye irritation and trigger asthma. For example, thyme oil can irritate the skin, eyes and lungs and cause allergic reactions.

Pesticides, including organic or so-called green pesticides, should only be used as a last resort. Try alternate ways to get rid of pests and resist using sprays even if they are labeled organic or green products.

Use safer products to protect against bacteria and viruses

The prevention of diseases caused by bacteria and viruses is a priority in ECE settings. New Hampshire Childcare Licensing requires that certain surfaces in ECE settings be sanitized or disinfected. Sanitizing and disinfecting (antimicrobial) products that kill bacteria and viruses are pesticides. All products used to sanitize or disinfect must be registered by the EPA. Bleach is the most commonly used product for sanitizing and disinfecting in ECE. It has a short killing time and it does not need to be rinsed since it breaks down quickly. But there are increasing concerns about the health effects of bleach, particularly for children with asthma. Many ECE providers are looking for alternatives to bleach for sanitizing.

The EPA's Design for the Environment (DfE) Antimicrobial Pesticide Pilot Project is a new program that identifies disinfectants that are at the safer end of the disinfectant spectrum. DfE scientists have screened disinfectant ingredients for potential human health and environmental effects. They have identified the following as least-toxic active ingredients in disinfectants:

- ▶ Stabilized hydrogen peroxide
- ▶ Lactic acid
- ▶ Citric acid



Products containing these ingredients that pass the DfE tests for safety and efficacy will be listed on their website, www.epa.gov/dfe/. If you see the DfE logo on an EPA-authorized antimicrobial pesticide label, you can be assured that, based on the best currently available information, the product contains only ingredients that pose the least health and environmental concerns. Using sanitizing/disinfecting products with the DfE logo can protect the health of children and staff as well as the environment.

For more information, see the Health and Safety Notes, *Green Cleaning and Sanitizing Safely and Effectively*. Also see the Resources section on page 30.

UNDERSTANDING IPM PRACTICES

In this section, we provide more detail about IPM.


IPM is typically described in five categories:

- 1 PREVENTION
- 2 INSPECTION
- 3 IDENTIFICATION
- 4 MONITORING
- 5 MANAGEMENT

In practice, many of the strategies we describe below are used in more than one category of IPM.

PREVENTION

Prevention is always the preferred way to manage pests in an IPM program. Many pests are attracted to food and water, and find shelter and hiding spots in cracks and crevices or cluttered places. Taking steps to keep pests from getting into your ECE facility is important and can be done by following the strategies in this section (see also the *IPM Checklist* in the *IPM Toolkit*). Practicing good sanitation will reduce the availability of food, water and shelter to pests.



Make sure window screens are free of damage.

Create physical barriers on the outside of the building so pests cannot enter the facility.



Door sweep.



Install door sweeps.

Doors and windows

- ▶ Be sure doors, windows and screens fit tightly and are free of holes or cracks.
- ▶ Make sure window screens and panes are free of damage.
- ▶ Put door sweeps underneath doors and wrap weather-stripping around the door's top and sides.
- ▶ Keep doors closed when not in use.

Cracks, crevices, gaps and holes

- ▶ Seal cracks and crevices in walls, roof, foundation, floors, and around electrical conduits, heating ducts and plumbing pipes where they enter the building.
- ▶ Caulk cracks and crevices around cabinets, baseboards or mirrors.
- ▶ Screen vents or other large openings with $\leq \frac{1}{4}$ -inch hardware cloth.
- ▶ Use wire mesh to fill bigger holes where pipes go through a wall, the ceiling or the floor so that pests cannot re-enter the building by burrowing.

Maintain good sanitation to reduce availability of food, water and shelter outside.

Landscape

Many pests that come indoors and bother children and staff originate in outdoor areas. These include ants, yellowjackets, flies, mosquitoes, spiders, mice and rats. You can reduce their numbers by maintaining a landscape that does not allow them to thrive or invade indoor spaces:


- ▶ Keep plants, mulch and moisture at least 12 inches away from the building.
- ▶ Trim branches regularly and keep them at least 3–4 feet from the building.
- ▶ Remove ivy, vines, wood, debris, garden produce, compost piles and thick mulch around the perimeter of building.
- ▶ Clean gutters.
- ▶ Plant flowers that don't attract bees, such as zinnias.



A clogged gutter can become a home for pests and prevents proper drainage away from the building.



Openings are entrances for pests.



Screen vents or other large openings with hardware cloth.



Make sure equipment and toys don't contain standing water.

Remember that a pest in one situation may not be a pest in another. Evaluate carefully whether something is, in fact, a pest before looking for ways to get rid of it. For example, many people dislike sowbugs or pillbugs, yet they do little harm in the landscape; and a few snails or slugs are not pests if they are not bothering your plants.

Water

- ▶ Prevent sprinklers from wetting stucco or siding.
- ▶ Fix any dripping faucets or sprinklers.
- ▶ Eliminate any standing water that collects from faucets, sprinklers or after rain.

- ▶ Make sure equipment and toys do not contain standing water.
- ▶ Prevent shrubbery from blocking vents in the foundation.
- ▶ Keep plants and mulch 12 inches from the building to allow air and light to circulate.
- ▶ Common pests to look for in moist places include mold and mosquitoes.

Garbage storage area (large dumpsters/cans collected by trucks)

- ▶ Make sure garbage receptacles and dumpsters are at least 50 feet away from entranceways of the building or play yard and are on pest-proof pavement such as concrete.
- ▶ Keep the area free from spilled liquids or garbage.
- ▶ Make sure that receptacles and dumpsters have lids that fit snugly to form a seal.
- ▶ Rinse and clean recyclables.
- ▶ Make sure composting bins and receptacles are properly sealed.
- ▶ Common pests to look out for here include cockroaches, ants, yellowjackets, flies, mice and rats.



Dirty garbage storage area.



Clean garbage storage area.




Remove conditions that will attract pests, like spilled drinks and uncovered, overflowing garbage bins.

Garbage in play area (garbage containers)


- ▶ Make sure garbage containers have dome lids and linings.
- ▶ Common pests to look for near garbage include cockroaches, ants, yellowjackets, flies, mice and rats.
- ▶ If rodent bait stations or yellowjacket traps are used, make sure you place them out of children’s reach! Place yellowjacket traps at least 20 feet away from outdoor eating and play areas to avoid attracting yellowjackets.



Use dome lids to cover garbage, a food source for pests.



Place yellowjacket traps at least 20 feet away from eating and play areas.



Place bait stations out of children’s reach.

Maintain good sanitation to reduce availability of food, water and shelter inside.

Sanitation

- ▶ Eliminate food scraps.
- ▶ Remove standing water and water-damaged materials.
- ▶ Regularly sweep, vacuum and dust.
- ▶ Keep areas free from clutter.
- ▶ Properly dispose of garbage.

Remember that sealing and repairing any cracks, crevices, gaps and holes inside the building is another way to prevent pests from invading your building.

Routine cleaning

Routinely clean all areas in the ECE facility:


- ▶ Clean and dry countertops, shelves, cabinets and drawers.
- ▶ Remove food scraps, grease and sugar from stoves, floors and molding.
- ▶ Clean areas under furniture that is not moved often such as tables, couches, shelves and refrigerators.
- ▶ Dust, mop, vacuum and wipe to keep indoor areas clean.
- ▶ Clean food-contaminated dishes, utensils and surfaces by the end of each day.
- ▶ Dry and store mops and buckets properly (i.e., mops should be hung upside down and buckets emptied). Or, better yet, use lightweight microfiber mop heads made from specially woven fibers that attract dirt, germs and dust.
- ▶ Remove cobwebs.



Put away leftovers and take out trash before they attract pests.



Store food in clear, tightly-sealed containers.



Leftover food not cleaned off tables becomes a food source for pests.

Food

Maintaining a clean environment is the key strategy for preventing pests in food preparation and storage areas.

- ▶ Make sure food is not left out for pests to eat or land on.
- ▶ Use food storage containers with tight sealing lids.
- ▶ If your ECE program uses food items such as pasta for arts and crafts, make sure these are also sealed in plastic or glass containers when not in use.
- ▶ Only allow food and beverages in designated areas.
- ▶ Clean up spills and crumbs.
- ▶ Common pests that like our food include ants, cockroaches, yellowjackets, flies, mice, rats and pantry pests such as flour moths and beetles.

Garbage

Regularly removing garbage at the end of each day from the ECE site can prevent many pest infestations.

- ▶ **Garbage containers should:**
 - ▷ be equipped with plastic liners.
 - ▷ have lids that fit snugly to form a seal.
 - ▷ be emptied and cleaned daily.
- ▶ Promptly recycle any boxes or bags to avoid more clutter.
- ▶ Rinse drink or food containers before putting in recycling bins.
- ▶ If you must keep cardboard boxes, store them away from moist areas and direct contact from walls or floors.
- ▶ If you have on-site composting, be sure to properly cover and contain it.
- ▶ Common pests that like garbage include ants, cockroaches, flies, yellowjackets, mice and rats.




Garbage containers should be equipped with plastic liners and have lids that fit snugly to form a seal.

Water

Eliminate accumulated water anywhere around the building or grounds.

- ▶ Fix leaky plumbing.
- ▶ Eliminate excess water in trays or saucers under indoor houseplants or under the refrigerator.
- ▶ Cover or put water away so that it doesn't sit out overnight.
- ▶ Drain milk or juice cartons before throwing them in the garbage to avoid excess moisture.
- ▶ Dishwashers and refrigerators usually collect extra water so make sure drainage bins are kept clean and dry.
- ▶ Keep bathrooms as dry as possible because mold tends to grow there.
- ▶ Common pests that like water and moist environments include ants, cockroaches, mosquitoes, gnats and mold.



Repair gaps or cracks around pipes.



Keep bathrooms as dry and clean as possible.



Fix leaky plumbing.

Storage, shelter and hiding places

Pests love clutter. It gives cockroaches and mice a place to breed and hide. Pests also thrive where they have hiding places such as cracks, crevices, wall voids, spaces behind pictures or hanging art work, gaps behind molding and spaces between furniture and walls. Where possible, eliminate these hiding places by caulking, covering gaps with screens or filling holes and voids with copper wool.

In places where eliminating hiding places is not possible, clean regularly and monitor for the presence of pests. If you have pets on-site remember to properly store their food and water. Also keep emergency supplies, for example, storm supplies, properly stored so that pests cannot get into them.

To minimize the level of clutter:

- ▶ organize equipment and toys.
- ▶ clean regularly.
- ▶ avoid storing stacks of newspapers, magazines or cardboard boxes because these provide an excellent shelter for roaches, rodents and other pests. If you need to store items, use plastic bins with sealed lids.


Common pests that like clutter include cockroaches, spiders, mice and rats.

For specific pest prevention strategies for individual pests, see the *Health and Safety Notes* included in this *IPM Toolkit* or online at:

www.ucsfchildcarehealth.org/html/pandr/hsnotesmain.htm



Clutter provides hiding places for roaches, rodents and other pests.



Use plastic bins with sealed lids to store equipment and toys. Avoid clutter.



INSPECTION

The first step in starting an IPM program is a thorough inspection of your program’s indoor and outdoor areas. For help with your inspection and a list of the tools that you will need, see the *IPM Checklist* that is part of this *Toolkit*. An inspection can be done by the IPM Coordinator in your program or by a Pest Management Professional who is familiar with IPM. During an inspection, you are looking for:

- ▶ evidence of pests (or their damage): what kind, how many and where
- ▶ how they may be entering the building
- ▶ their possible sources of food, water and shelter

IDENTIFICATION


Identify your pests

When you practice IPM, you have to identify the pests in your facility and know their characteristics and life cycles. If you don’t know which pests are present, you may use the wrong management approach, choose the wrong pesticide, or treat too often or at the wrong time and do more harm than good.

- ▶ For help identifying pests, see the *Health and Safety Notes* contained in this *Toolkit* on IPM for individual pests or the *University of California Statewide Integrated Pest Management Program Pest Notes*, www.ipm.ucdavis.edu/PDF/PESTNOTES/index.html
- ▶ Learn the signs of pests’ presence such as droppings or damage caused by gnawing or chewing, even when pests are out of sight.
- ▶ Make sure that you correctly identify something as a pest that requires action. Most insects are not pests.

Identify pests’ characteristics and habits

- ▶ **Access:** How do they get inside? Do they enter the building on cardboard boxes or in food?
- ▶ **Food:** What foods do they eat?
- ▶ **Water:** What are their sources of water?
- ▶ **Shelter:** Where do they hide?
 - ▷ Do they burrow or find their way into existing cracks and holes?
- ▶ **Damage:** What damage do they cause?
- ▶ **Life cycle of pests:**
 - ▷ How long does it take them to grow to adulthood and reproduce?
 - ▷ At what stage of their life cycle do they cause the most problems?
 - ▷ How fast do they reproduce?



Identify which types of pests are present in and around your facility.

MONITORING

If you successfully prevent pests or eliminate them from your facility, your IPM efforts aren't over! Monitoring for pests is an ongoing process that is very important in an IPM program. Monitoring involves systematic inspections that you conduct at regular intervals to identify pest problems early when management is easiest. Monitoring helps you identify how serious your pest problems are and where they are located.

Monitoring pests involves:

- ▶ regularly inspecting the facility for pests and pest damage.
- ▶ identifying sources of food and water that could attract pests.
- ▶ assessing the effects of your pest management strategies.

STEPS OF EFFECTIVE MONITORING

1 Decide who will do the monitoring.

2 Choose effective tools, including:

- ▶ monitoring traps (for example, sticky traps for monitoring many insects); check them regularly.
- ▶ flashlight with a halogen bulb; get into a squatting position to check under cabinets and furniture for signs of pests.
- ▶ small knife or screwdriver to collect pest droppings or probe wood for dry rot.
- ▶ camera to document pest damage to plants or structures before and after IPM practices have been used (optional).



3 Keep good written records each time you do a visual inspection (see the *IPM Checklist* in the *Toolkit* and *Pest Monitoring Form* on page 35). Make sure these include:

- ▶ date and time the inspection took place.
- ▶ which pests were present, where they were present, how many and their stage of growth.
- ▶ evidence of pest damage and where seen.
- ▶ when pesticides such as gels or pastes were last used.

Keeping good records will:

- ▶ give you information for your pest management decisions.
- ▶ make sure that information is documented and not lost when employees leave the program.
- ▶ allow for the evaluation of pest management from year to year.



Check under cabinets and furniture for signs of pests.




MANAGEMENT

If pests become a problem, you will need to manage or suppress them. IPM encourages use of materials and practices for managing pests that maximize safety and reduce exposure of children and staff to harmful chemicals. To manage pests in an IPM program, choose practices that are:

- ▶ least harmful to human health and to other non-pest organisms.
- ▶ most likely to be permanent and prevent the pest problem from coming back.
- ▶ easiest to carry out safely and effectively.
- ▶ most cost-effective in the short and long-term.
- ▶ matched to the particular pest and coincide with the stage of the pest's life cycle when the pest is most vulnerable.

Often you can manage pests with nonchemical steps such as:

- ▶ keeping pests out and eliminating their food, water and shelter.
- ▶ washing the area with soap and water.
- ▶ using a vacuum to remove them:
 - ▷ A high efficiency particulate air (HEPA) vacuum with a filter fine enough to screen out insect feces and insect parts.
- ▶ using traps:
 - ▷ Place traps out of children's reach, such as in closets or locked cupboards, or in outdoor areas that are inaccessible to children.
 - ▷ Some traps are used mainly for monitoring pest presence. These include cockroach traps and various pheromone (insect sex attractant) traps, although if the infestation is small, these traps can sometimes be used to manage the pest.
 - ▷ Other nonchemical traps include:
 - snap traps for mice and rats, properly placed where rodents will find them.




Place traps out of children's reach.

- flypaper and ultraviolet light traps for flies.
 - cone traps for yellowjackets or flies.
 - box traps for skunks, raccoons and opossum.

If nonchemical steps don't work, use the least-harmful pesticides to manage a pest problem. Least-harmful pesticides are:

- ▷ contained in bait stations (not sprayed or broadcast.)
- ▷ effective against the target pest.
- ▷ have a low acute and chronic toxicity to people, animals and the environment.
- ▷ biodegrade rapidly.
- ▷ kill a narrow range of target pests.
- ▷ have little or no impact on other organisms, especially the pest's predators.



These are examples of least-hazardous pesticides registered in New Hampshire.

- ▶ **Baits** are pesticides mixed with materials that attract pests looking for food. They are a key tool for managing ants (worker ants carry small portions of the bait back to the nest where it is transferred to ants in the colony, eventually killing the entire colony). Ant bait products must be slow-acting so that the foraging ants have time to make their way back to the nest and feed other members of the colony before they are killed. When properly used, baits are more effective and safer than sprays. Ant baits are available in prepackaged containerized bait stations or as products that can be placed in refillable bait stations or dispensers.
- ▶ **Borates** for use in bait stations for ants or cockroaches.
- ▶ **Desiccating dusts** are powders that kill insects by drying out their waxy coating, causing them to die of dehydration. They do not act by poisoning the nervous systems of pests. They are often applied behind wall voids, under light switches and other hard-to-reach places pests like to hide. Examples are diatomaceous earth and silica gel.
- ▶ **Gels** are another form of bait. They are insecticides mixed with materials that attract pests. Instead of being placed in bait stations, gels are squeezed into cracks and crevices where pests commonly hide using a syringe type applicator.
- ▶ **Insect growth regulators (IGRs)** interfere with insect growth.
- ▶ **Pesticidal soaps and oils** also act by suffocating insects, usually those attacking plant surfaces. These come in liquid and spray forms and would not commonly be used for structural (indoor) pests.
- ▶ **Pheromones** and other attractants prevent mating.

- ▶ **Repellents** send pests somewhere else.
- ▶ **Some botanical pesticides** which are derived from plants. However, this does not mean they are “safe.” They can be as diverse as all other pesticides and must be chosen on a case-by-case basis. (see section *Use caution when choosing organic, green, or natural products*, on page 10.)

When choosing a pesticide, it’s a good idea to obtain a Material Safety Data Sheet (MSDS) for the product. These documents contain information on potential hazards and safety precautions for a product. MSDS forms are available online and from pesticide suppliers. Keep the MSDS with your IPM records.

This guide can also help you choose baits that contain less harmful pesticides. Use pesticides only when and where needed; for example, it is rarely necessary to treat an entire building or landscape area to solve a pest problem. If you use pesticides, combine them with preventive practices so pests won’t come back. Determine the causes of pest problems, and develop a pest management plan to address these causes with primarily nonchemical solutions.

SAFE STORAGE AND DISPOSAL OF PESTICIDES

All pesticides, including containerized baits, organic or other exempt pesticides and some disinfectants must be stored and disposed of appropriately:

- ▶ Store all pesticides in locked cabinets out of children’s reach.
- ▶ Store pesticides in their original containers with complete label information.
- ▶ Try not to purchase more pesticide than you’ll use in a short time to avoid problems with storage and disposal.
- ▶ Dispose of pesticides in accordance with the label and state regulations.
- ▶ If you employ a pest management company, they are responsible for storage and disposal of extra pesticides.





HOW TO READ A PESTICIDE LABEL Read the label of any pesticide to identify the name, ingredients, directions, and potential harmful effects on children and staff. The following is a quick overview of key things to look for on the label:

The **precautionary statements** describe potential harmful effects to people, animals or the environment.

The **directions for use** tell you where, when and how to use the pesticide safely. Follow these directions precisely. This section also tells you what kind of pest this product was designed to kill.

The **storage and disposal** instructions tell you how to store and dispose of leftover pesticides.

PRECAUTIONS TOXIC TO

DIRECTIONS FOR USE

RE-ENTRY STATEMENT

CATEGORY OF APPLICATOR

STORAGE & DISPOSAL

RESTRICTED USE PESTICIDE

PRODUCT NAME®

COMMON NAME
CHEMICAL NAME

ACTIVE INGREDIENT _____ %
INERT INGREDIENTS _____ %

DANGER-POISON

CAUTION

HAZARD TO

WARRANTY STATEMENT

KEEP OUT OF REACH OF CHILDREN

STATEMENT OF TREATMENT

IF SWALLOWED.....
IF INHALED.....
IF ON SKIN.....
IF ON EYES.....

MFG. BY _____
CITY, STATE _____
ESTABLISHMENT NO. _____
REGISTRATION NO. _____
NET CONTENTS _____

The **Restricted Use Pesticide** tells you only certified pest management professionals may use this product.

The **product or brand name** is prominently displayed on the front label. Brand names are different from active ingredients.

The **active ingredient** is the chemical that kills the pest.

Inert or other ingredients do not directly kill the pests, but instead help the active ingredients work.

The **signal words** such as **Caution, Warning, Danger, or Danger-Poison** refer to the short-term or acute effects of the active ingredient.

The **Environmental Protection Agency Registration number** ensures that the pesticide has been reviewed by EPA.

The **first aid section** tells you what to do if the product is swallowed, breathed in (inhaled), or has made contact with the skin or eyes.

For more information on reading a pesticide label, see the EPA Read the Label First™ website: www.epa.gov/pesticides/label/

Source: www.epa.gov/pesticides/label/index.html

IMPLEMENTING IPM IN YOUR ECE PROGRAM



The best way to protect the health of children, staff and the environment is to implement an IPM program. Here are the steps to start your IPM program:

1 Write and include an IPM policy in your center's policy manual. (See *Sample IPM Policy for Child Care* on page 32).

This policy should:

- ▶ state how the ECE center will comply with the New Hampshire Health Rules and Safety in the Child Care Environment.
- ▶ identify how the program will manage pests inside the facility and in outdoor play areas.
- ▶ establish a procedure to notify parents and staff in accordance with New Hampshire Rules.
- ▶ identify minimum qualifications for a Pest Management Professional (PMP) hired to work at your center (see *How to Hire a Pest Management Professional* on page 27).

2 Designate an IPM Coordinator.

This person coordinates and leads the day-to-day IPM activities and acts as a liaison with staff, a pest management company (if used), and parents. Often, the program director or facility manager acts as the IPM Coordinator. The IPM Coordinator:

- ▶ assures that staff members report pest sightings using the *Pest Monitoring Log* (see page 35).
- ▶ communicates recommendations from the PMP for cleaning or repairs to staff and administrators, and confirms that they have been carried out.
- ▶ takes responsibility for regular monitoring if there isn't a PMP.
- ▶ assures that the pest management plan for the facility is carried out.

- ▶ is responsible for storage, safe use and disposal of pesticides.
- ▶ facilitates staff training on IPM.
- ▶ does not have to be a pest management expert, but should have good organizational skills and an interest in IPM.

3 Provide training for facility and child care provider staff and parents about your IPM program.

IPM is a team effort, requiring cooperation among the director, teachers, custodian, maintenance staff, children and parents.

- ▶ Use the *IPM Toolkit* and *Health and Safety Notes* to train staff.
- ▶ **Education of staff and parents should focus on how to implement the three steps of pest prevention.** These three steps are ongoing tasks that require everyone's participation.
 - ▷ **Keep pests out.** Make repairs as needed to prevent pests from getting into buildings.
 - ▷ **Remove food and water.** Review sanitation practices. Sanitation includes waste disposal and kitchen cleaning. Repair leaking pipes and eliminate standing water wherever possible.
 - ▷ **Remove shelter.** Clutter offers shelter for many pests, especially rodents, spiders and cockroaches. Organize clutter and eliminate cardboard. Use lidded plastic bins instead, particularly in food areas. Seal openings such as gaps commonly between equipment and floors.

- 4 **Get names and contact information for any outside contractors** the program uses, such as garbage disposal, building maintenance or pest management professionals.
- 5 **If your program requires the services of a PMP, hire one that has IPM experience and is familiar with state requirements.**
 - ▶ PMPs can help maintain a pest-free, pesticide-free facility (see *How to Hire a Pest Management Professional* on page 27 for more information on interviewing PMPs).
- 6 **If you have a pest problem, inspect buildings and grounds for sources of infestations and contributing conditions.**
 - ▶ Staff should know how to look for and remove conditions that increase pest problems.
 - ▶ Your PMP or IPM coordinator will inspect regularly and record evidence of infestations and conditions that contribute to your pest problem.
 - ▶ Follow up on inspection results by fixing conditions that could lead to pest problems such as sealing pest entry points, reducing clutter, improving sanitation and making repairs.
- 7 **Establish pest monitoring procedures.**
 - ▶ Regularly carry out all inspections identified in your pest management plan.
 - ▶ When needed, place (or ensure that PMP places) monitoring traps in appropriate areas where children and pets cannot find them.
 - ▶ Staff should be instructed not to move or throw away the traps.
 - ▶ Maintenance staff or the IPM Coordinator should monitor traps regularly.
 - ▶ Report pest sightings to the IPM Coordinator.

- ▶ Track your program’s response to pest sightings—when, where and how often.

8 **Identify any pests found.**

9 **Create an IPM Action Plan for each pest you find in your environment.**

Spraying pesticides rarely eliminates pests and isn’t a part of an IPM approach except as a last resort when all other strategies haven’t been effective.

- ▶ Management strategies may include improved sanitation, sealing cracks and moisture leaks, nonchemical management and, if pests are still present, pesticide baits.
- ▶ The action plan should state how you will prevent invasions, how you will detect problems and how you will manage them if they occur. You should have a plan for each pest in your environment (see *Sample Action Plan for Cockroaches* on page 26). For help in making your action plans, see the *Health and Safety Notes* for individual pests. By establishing an action plan for each pest, you’ll resist the urge to spray and respond in a safer, more environmentally healthy manner. You may also be able to demonstrate to your licensing analyst that you are in compliance with child care health requirements.



- 10 Establish record keeping.**
Keep the following records:
 - ▶ A registry of all parents and staff who need to be notified of pesticide applications and a protocol for how they are to be notified.
 - ▶ Inspection reports of the facility (if ECE staff members are doing inspections, use the *IPM Checklist* in the *Toolkit*).
 - ▶ Pest Monitoring Log (see page 35).
 - ▶ Records of all pesticides used in the facility.
 - ▶ IPM recommendations and service reports from the PMP.
 - ▶ Material Safety Data Sheets (MSDS) for all pesticides used inside the facility.
 - ▶ Work orders for fixing maintenance problems that contributed to pest problems.
- 11 Set up a filing system for all the paperwork you will generate and keep it in a convenient location.**

- 12 Set up an IPM area in your facility where you can:**
 - ▶ provide information on IPM that staff members can access at their leisure.
 - ▶ post important reminders and communicate with staff when there is a pest problem or an IPM issue such as a housekeeping problem.
- 13 Evaluate the program on a regular basis.**
 - ▶ Work with the program’s staff and parents to improve understanding of IPM and identify areas for improvement of the IPM program.
 - ▶ Review the effectiveness of your tracking system.
- 14 Remember that implementing an IPM program is an ongoing process, and requires attention and consistency.**



AN EXAMPLE OF AN ACTION PLAN FOR GERMAN COCKROACHES

LOCATION/SITUATION	WHEN TO TAKE ACTION	NONPESTICIDE PRACTICES	LEAST HARMFUL PESTICIDE	LAST RESORT
Food Preparation Areas	Cockroaches breed very fast! If you see one cockroach there are probably more and you should start baiting and monitoring efforts. If there are many cockroaches, consider a complete review of sanitation efforts and possibly a more aggressive treatment strategy.	<ul style="list-style-type: none"> ▶ Caulk and seal potential hiding places around water and food prep sites. ▶ Keep all food cleaned up or in sealed containers. ▶ Clean on a schedule, including less accessible areas. ▶ Use sticky traps to monitor populations. ▶ Use a HEPA vacuum to remove heavy infestations before treatment. 	Containerized baits, or gel baits applied to cracks and inaccessible void areas.	Insect growth regulator sprays applied to areas where cockroaches are hiding. Boric acid dusts applied to dry, inaccessible areas behind walls.

HOW TO HIRE A PEST MANAGEMENT PROFESSIONAL [PMP] WHO DOES IPM

A PMP can help your ECE program implement an effective IPM program. Find out if the PMP you hire is knowledgeable about IPM practices. Many PMPs have not had the training or experience required to practice IPM effectively. Below are some questions that can help guide you as you look for a pest control company that can partner with you in starting your IPM program.

1 Identify a PMP with experience in ECE facilities.

Ask colleagues for the names of PMPs who practice IPM and have experience in ECE. Consider hiring only PMPs who have been certified by Ecowise, Green Shield Certified or GreenPro. See *Resources* on page 30 for their websites.

2 Call a few PMPs and ask specifically if they practice IPM.

3 Ask what services are included in the PMP's IPM approach.

Services should include:

- ▶ a thorough inspection of the facility, indoors and outdoors
- ▶ written recommendations that show ways to prevent pests from entering the facility, or how to exclude pests that have become a problem
- ▶ periodic monitoring
- ▶ use of traps or least-toxic pesticides when prevention has failed
- ▶ written service reports

4 Confirm that the PMP understands which services require an ECE director's explicit permission (i.e., application of any pesticides).

5 Ask whether they use indoor or outdoor sprays as part of their IPM services.

Routine spraying of pesticides is not part of IPM, except, with your permission, in an emergency situation. Some PMPs assume their customers want routine spraying, so make sure your PMP knows you don't want them to spray.

6 Ask about the qualifications, experience and training of anyone who will work on your site.

All personnel should be trained in IPM practices and must be licensed as PMPs by the State of New Hampshire. Call NH DPC to verify whether a company or an individual has a license issued by NH DPC.

7 Ask for references from the PMP's other clients.

8 Ways to know if your PMP is NOT using IPM. He/she:

- ▶ does not carry a flashlight.
- ▶ is not responsive or communicative.
- ▶ does not use monitoring traps or does not check them.
- ▶ sprays routinely on a regular schedule, whether there are pests present or not.
- ▶ does not ask you where you have seen pests.
- ▶ does not include regular inspections and monitoring as part of the service.
- ▶ does not include recommendations for preventive practices such as sealing or sanitation as part of the services. (It is best if they can help provide some of these services as well.)



GLOSSARY

FIFRA = Federal Insecticide, Fungicide, and Rodenticide Act

IPM = Integrated Pest Management

MSDS = Material Safety Data Sheet

NH DAMF = New Hampshire Department of Agriculture, Markets and Food

NH DPC = New Hampshire Division of Pesticide Control

PCO = Pest Control Operator

PMP = Pest Management Professional

U.S. EPA = United States Environmental Protection Agency

Active ingredient. The ingredient in a pesticide product that kills the pest. Some products contain two or more active ingredients.

Allergen. A substance, such as cockroach droppings or pet dander, that can cause an allergic reaction. When the immune systems of sensitive individuals recognize these substances as foreign or dangerous, they may have an allergic reaction.

Allergic reaction. An overreaction of the body's defense or immune system to an allergen. Allergic reactions can include hives, breathing difficulties, sneezing, itchy and watery eyes, rapid loss of blood pressure or loss of consciousness.

Acute toxicity. See **Toxicity** on page 29.

Antimicrobial pesticide. A pesticide used to kill microbial pests such as viruses, bacteria, algae and protozoa. Antimicrobials are used to disinfect or sanitize. Fungicides are pesticides that target fungal diseases of plants.

Asthma trigger. Allergens and irritants that can initiate an asthma attack. Triggers include pollen, mold, house dust mites and cockroach particles.

Beneficial organism. A living thing that provides benefits to humans—for example, an insect that reduces pests by feeding on them (otherwise known as a predator). A ladybeetle reduces pests by feeding on them. Honeybees are also beneficial because they provide honey and help pollinate foods that we eat.

Broadcast. To broadcast a pesticide is to cover a large area with sprays or granules. Spot spraying is a more restrictive way to apply a pesticide than broadcast spraying.

Chronic toxicity. See **Toxicity** page 29.

Endocrine disruption. Changes or disruption of the endocrine system of humans and wildlife caused by certain chemicals. Endocrine disruptors are chemicals that disrupt the endocrine system of humans and wildlife.

Exempt pesticides by U.S. EPA. Under the Federal Insecticide, Fungicide, and Rodenticide Act [**FIFRA**] Section 25(b), the U.S. EPA exempts pesticides from registration if they contain certain active ingredients. These are primarily food-grade materials such as mint oil, clove oil and sodium lauryl sulfate (derived from coconut and commonly found in shampoos and detergent). Types include: bait stations and sticky traps.

Exposure. Contact with a substance through different routes such as the skin or eyes, inhalation or swallowing.

FIFRA. The Federal Insecticide, Fungicide, and Rodenticide Act is administered by the U.S. EPA and a corresponding agency in each state. FIFRA is the framework from which pesticides are regulated nationally and in every state.


Hardware cloth. Stiff metal screening often used to seal house vents. It resembles chicken wire, except that the holes of hardware cloth are smaller and square, and the wire used is a thicker gauge.

Illegal pesticide. A pesticide that's not registered in New Hampshire. It's best to purchase pesticide products in stores, not at flea markets or on the Internet. Avoid using a pesticide that's been stored for a long time. It may have lost its registration, meaning that it's now illegal to use.

Inert ingredient. An ingredient in a pesticide product that does not contribute to killing the pest. Inert ingredients can include water, clay and solvents.

Infestation. The presence of pests such as rodents or cockroaches. Sometimes the pests themselves cannot be seen, but you'll notice the damage they cause (e.g., gnawing) or evidence they've left (e.g., droppings).

High Efficiency Particulate Air (HEPA) vacuum cleaner. A special vacuum cleaner that can remove very small particles from floors, window sills and carpets.



Mosquitoes take about seven days to complete their life cycle. The first three stages, eggs, larva, and pupa, are aquatic. Therefore, the best way to prevent mosquito breeding is to remove stagnant water.

Life cycle. The different stages of growth and development of a living organism. Individual life stages may be spent in different environments or feeding on different resources. For example, immature mosquitoes live in water and feed on bacteria and algae, while adult female mosquitoes fly around looking for blood. Knowing this about mosquitoes can help you focus on managing the immatures so very few of them develop into adults. Understanding the life cycle of a pest will help you develop an effective management strategy.

Material safety data sheet (MSDS). A form that contains information about the properties of a particular substance, intended to provide workers and emergency personnel with ways to handle or work with that substance in a safe manner. The MSDS includes information on the substance's health effects, toxicity, first aid, storage, disposal, protective equipment and how to handle accidental spills. The Occupational Safety and Health Administration (OSHA) requires that the MSDS for any potentially harmful substance handled in the workplace must be available to employees.

Microfiber. A fine synthetic fiber woven into cleaning cloths and lightweight mops that are ultra absorbent and use less cleaning solution. Microfibers have a positive charge. Dust, dirt and microbes are not only attracted to the microfiber's positive charge, but are held tightly and not redistributed around the room.

Monitoring. Checking the status of a pest infestation on a regular basis, often done with sticky traps. For example, you might monitor a cockroach infestation with special sticky traps for roaches and look at them every few days.

You can then note numbers and whether you're catching immature roaches (see page 35 for a sample *Pest Monitoring Log*). As an essential part of IPM, monitoring helps you know when to treat or whether you should treat at all.

Neurotoxic. Poisonous to the brain, nerves or nerve tissue.

Pest Management Professional (PMP). The people formerly known as exterminators. For several years they've gone by the title of Pest Control Operator or PCO, and many still use that name. More recently there's been a national trend to change the job title to Pest Management Professional.

Pesticide resistance. When pests survive exposure to a pesticide, they may pass this ability on to their offspring. Over time, pests often become resistant to a pesticide and different pesticides must be substituted to kill the pest.

Registered pesticide. Pesticide products are thoroughly reviewed by the federal government (U.S. EPA) before being sold or used.

Risk. A combination of how toxic (poisonous) a substance is and one's exposure to it. (Risk = toxicity x exposure.) Exposure to a pesticide usually depends on its placement and how likely it is to cling to surfaces or evaporate.

Toxicity. The quality or degree of being poisonous. Your reaction to a toxic substance depends on the dose of the toxin, and your exposure and susceptibility (sensitivity). When a substance has **acute toxicity**, it causes harmful effects within a short period following a dose or exposure, usually 96 hours or less. Effects include sudden eye irritation, breathing problems, stomach pains and rashes. With **chronic toxicity**, the effects are delayed, possibly for years. Examples include birth defects, cancer and hormonal disruption. Allergic effects (see **Allergic reaction** page 28) are sometimes considered a separate category, and they include asthma, lung irritation and rashes.

Trade name. A product name. There are many types of pesticides that manage specific pests. Each pesticide can have different trade, or product, names.

RESOURCES

**California Childcare Health Program**

www.ucsfchildcarehealth.org

▶ **Fact Sheets for Families:**

www.ucsfchildcarehealth.org/html/pandr/factsheetsmain.htm

▶ **Health and Safety Notes:**

www.ucsfchildcarehealth.org/html/pandr/hsnotesmain.htm

▶ **Forms:**

www.ucsfchildcarehealth.org/html/pandr/formsmain.htm

▶ **Training Curricula:**

www.ucsfchildcarehealth.org/html/pandr/trainingcurrmain.htm

California Department of Pesticide Regulation Childcare IPM: Growing Up Green

www.cdpr.ca.gov/schoolipm/childcare

California Department of Pesticide Regulation. *Pest Prevention: Maintenance Practice and Facility Design*

http://apps.cdpr.ca.gov/schoolipm/managing_pests/71_pest_prevention.cfm

Ecologo

www.ecologo.org

Ecowise

www.ecowise.com

EPA, Design for the Environment

www.epa.gov/dfe

EPA, *Integrated Pest Management for Schools: A How-to Manual*

www.epa.gov/oppo0001/ipm/schoolipm

eXtension: *Pest Management In and Around Structures*

www.extension.org/urban%2ointegrated%2opest%2omanagement

Green Seal

www.greenseal.org

Green Shield Certified

www.greenshieldcertified.org

GreenPro

www.certifiedgreenpro.org

IPM Institute of North America, Inc.

www.ipminstitute.org

Maryland Department of Agriculture, *Action Thresholds in School IPM Programs*. Pesticide Regulation Section, Annapolis, MD.

<http://schoolipm.ifas.ufl.edu/tp.htm>

National Pesticide Information Center

<http://npic.orst.edu>

National Pest Management Association (NPMA)

www.pestworld.org

New Hampshire Division of Pesticide Control

www.nh.gov/agric/divisions/pesticide_control/index.htm

Our Water, Our World

www.ourwaterourworld.org

The Safer Pest Control Project

www.spcpweb.org

University of California Statewide Integrated Pest Management Program

www.ipm.ucdavis.edu

US Pest Control Regulatory Agencies by State

www.pestnetwork.com/usagencies/bystate.html

APPENDICES

FORMS

- ▶ Sample IPM policy for ECE programs
- ▶ Sample letter to parents and staff re: Notification of planned pesticide use

LIST OF TOOLKIT'S COMPLEMENTARY MATERIALS

▶ Health and Safety Notes

The following *Health and Safety Notes* on individual pests can be found online at:

www.ucsfchildcarehealth.org/html/pandr/hsnotesmain.htm

- ▷ IPM for Ants
 - ▷ IPM for Cockroaches
 - ▷ IPM for Head Lice
 - ▷ IPM for Molds and Mildew
 - ▷ IPM for Mosquitoes
 - ▷ IPM for Rodents
 - ▷ Green Cleaning in Child Care
 - ▷ Sanitizing Safely and Effectively
 - ▷ IPM for Slugs and Snails
 - ▷ IPM for Spiders
 - ▷ IPM for Yellowjackets
- ▶ Sample warning signs to be displayed on property
- ▶ Sample Pest Monitoring Log
- ▶ **Fact Sheets for Families**
The following *Fact Sheets for Families* can be found online at:
www.ucsfchildcarehealth.org/html/pandr/factsheetsmain.htm
 - ▷ IPM for Ants
 - ▷ IPM for Headlice
- ▶ **IPM Checklist for Early Care and Education Programs**



SAMPLE IPM POLICY FOR ECE PROGRAMS

[NAME OF PROGRAM] [DATE]

Purpose

This policy supports the use of an integrated pest management (IPM) approach in our ECE Program.

Policy

[NAME OF PROGRAM], will implement and practice IPM to manage pests in the buildings and grounds to minimize the exposure of children and staff to pesticides. The New Hampshire Division of Pesticide Control encourages licensed ECE centers to practice IPM. In accordance with New Hampshire Child Care Environment Rules: the child care program will:

- ▶ **Notify** parents and staff in writing at least 2 days prior to the pesticide application, except in emergencies where pests pose an immediate threat to children; and
- ▶ **Document** the date, time and type of pesticide used for each time a pesticide is used.

Please also note that

- ▶ **Pesticides shall not be used on the premises while children are present and any treated indoor area must be aired out per manufacturers' instructions prior to allowing children to return to that area.**

Pests

Our IPM policy is to actively work at reducing the presence of harmful pests in the facility. Pests can pose hazards to human health and the environment and damage property.

Pesticides

Our IPM policy is to minimize potential exposure of children, staff and visitors to pesticides in our environment. Exposure to pesticides can pose a health risk to children, staff, and others. Regularly scheduled applications of harmful pesticides are not permitted under this IPM policy.

Integrated Pest Management (IPM) Program

Our IPM program will include the following:

- ▶ Regular monitoring to identify pest problems.
- ▶ Preventive actions to reduce future pest problems.
- ▶ Preference for the use of nonchemical management practices to address pest problems.
- ▶ When necessary, use of least-hazardous pesticides after nonchemical management practices have failed.
- ▶ Training for staff and parents on IPM practices.
- ▶ Designating an IPM Coordinator for our site who will be responsible for overseeing the implementation of IPM practices.
- ▶ Assess the ECE center's environment using the IPM Checklist annually.

Pest Management Professionals (PMP)

Any PMP hired to provide pest management or other services must comply with this IPM program and notification policy and be knowledgeable about IPM practices. PMPs must refrain from routine pesticide spraying, provide detailed service reports with each visit and give recommendations for pest prevention.

SAMPLE LETTER TO PARENTS AND STAFF RE: NOTIFICATION OF PLANNED PESTICIDE USE

[DATE]

Dear Parent or Guardian of [INSERT CHILD'S NAME],

The New Hampshire Child Care Environment Rules require child care programs to notify parents and staff in writing at least 2 days prior to pesticide application, except in emergencies where pests pose an immediate threat to children. We want to notify you that the following pesticide(s) is (are) scheduled for use at your child's program on [INSERT DATE]

Name of Pesticide Product	Active Ingredient(s)
1	
2	
3	
4	
5	

If you have any questions, please contact [ECE CENTER IPM COORDINATOR, _____] at [PHONE _____].

Sincerely,

[POSITION AT ECE CENTER]

[NAME OF ECE CENTER]

[CONTACT PHONE NUMBER AND EMAIL]

WARNING



Pesticide Treated Area

Name of Pesticide Product(s)	Manufacturer & Registration Number	Application Date	Treated Areas & Reason Why

Child Care Center Name: _____

For More Information Ask For: _____
NAME TITLE

Do not play on the treated area. Wash your hands and exposed skin if you touch the treated area.

SAMPLE PEST MONITORING LOG

DATE AND TIME	PEST SEEN AND NUMBER	PERSON WHO SAW PEST	LOCATION (ROOM #)	RECOMMENDED ACTIONS	DATE ACTIONS COMPLETED



INTEGRATED PEST MANAGEMENT: A CURRICULUM FOR EARLY CARE AND EDUCATION PROGRAMS

